

EASYFORM


studio

EASY FORM STUDIO

Cutting list for Demo kitchen

Created on 26.10.2026

Corner element - Left side 1




	Length	Width	Thickness
Dimensions	**720 mm**	**562 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Hinge mounting plate	Ø5 × 13 mm	face A	4	(81, 525); (113, 525); (607, 525); (639, 525)


Corner element - Left side 2



	Length	Width	Thickness
Dimensions	**1164 mm**	**720 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Corner element - Right side 1




	Length	Width	Thickness
Dimensions	**720 mm**	**544 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Hinge mounting plate	Ø5 × 13 mm	face A	4	(81, 37); (113, 37); (607, 37); (639, 37)


Corner element - Right side 2



	Length	Width	Thickness
Dimensions	**1182 mm**	**720 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**


Corner element - Corner top



	Length	Width	Thickness
Dimensions	**1164 mm**	**1146 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**


Corner element - Corner bottom



	Length	Width	Thickness
Dimensions	**1164 mm**	**1146 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**


Corner element - Corner shelf 1



	Length	Width	Thickness
Dimensions	**1164 mm**	**1146 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Corner element - Front left




	Length	Width	Thickness
Dimensions	**718 mm**	**556 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: 2 hinges on longer side — Blum Clip top 110, cup distance 21.5 mm			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Hinge cup	Ø35 × 13 mm	face A	2	(96, 21); (622, 21)
Hinge cup screw	Ø8 × 11.5 mm	face A	4	(74, 31); (119, 31); (600, 31); (645, 31)
Handle	Ø5 thru	face A	2	(540, 516); (668, 516)

Corner element - Front right




	Length	Width	Thickness
Dimensions	**718 mm**	**556 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: 2 hinges on longer side — Blum Clip top 110, cup distance 21.5 mm			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Hinge cup	Ø35 × 13 mm	face A	2	(96, 534); (622, 534)
Hinge cup screw	Ø8 × 11.5 mm	face A	4	(74, 525); (119, 525); (600, 525); (645, 525)
Handle	Ø5 thru	face A	2	(540, 40); (668, 40)


Corner element - Post left



	Length	Width	Thickness
Dimensions	**718 mm**	**60 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**


Corner element - Post right



	Length	Width	Thickness
Dimensions	**718 mm**	**60 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Sink base 800 - Front left




	Length	Width	Thickness
Dimensions	**716 mm**	**396 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: 2 hinges on longer side — Blum Clip top 110, cup distance 21.5 mm			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Hinge cup	Ø35 × 13 mm	face A	2	(96, 21); (620, 21)
Hinge cup screw	Ø8 × 11.5 mm	face A	4	(74, 31); (119, 31); (598, 31); (643, 31)
Handle	Ø5 thru	face A	2	(538, 356); (666, 356)

Sink base 800 - Front right




	Length	Width	Thickness
Dimensions	**716 mm**	**396 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: 2 hinges on longer side — Blum Clip top 110, cup distance 21.5 mm			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Hinge cup	Ø35 × 13 mm	face A	2	(96, 375); (620, 375)
Hinge cup screw	Ø8 × 11.5 mm	face A	4	(74, 365); (119, 365); (598, 365); (643, 365)
Handle	Ø5 thru	face A	2	(538, 40); (666, 40)

Sink base 800 - Left




	Length	Width	Thickness
Dimensions	**720 mm**	**562 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 12 mm	face A	6	(9, 50); (9, 512); (711, 12); (711, 48); (711, 514); (711, 550)
Hinge mounting plate	Ø5 × 13 mm	face A	4	(82, 525); (114, 525); (606, 525); (638, 525)

Sink base 800 - Right




	Length	Width	Thickness
Dimensions	**720 mm**	**562 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 12 mm	face A	6	(9, 50); (9, 512); (711, 12); (711, 48); (711, 514); (711, 550)
Hinge mounting plate	Ø5 × 13 mm	face A	4	(82, 37); (114, 37); (606, 37); (638, 37)

Sink base 800 - Bottom




	Length	Width	Thickness
Dimensions	**764 mm**	**562 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 20 mm	left edge	2	(0, 50); (0, 512)
Dowel	Ø8 × 20 mm	right edge	2	(764, 50); (764, 512)

Sink base 800 - Cross top front




	Length	Width	Thickness
Dimensions	**764 mm**	**60 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 20 mm	left edge	2	(0, 12); (0, 48)
Dowel	Ø8 × 20 mm	right edge	2	(764, 12); (764, 48)

Sink base 800 - Cross top back




	Length	Width	Thickness
Dimensions	**764 mm**	**60 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 20 mm	left edge	2	(0, 12); (0, 48)
Dowel	Ø8 × 20 mm	right edge	2	(764, 12); (764, 48)

3 Drawers - Drawer 1 front




	Length	Width	Thickness
Dimensions	**596 mm**	**236 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Handle	Ø5 thru	face A	2	(234, 118); (362, 118)


3 Drawers - Drawer 1 bottom



	Length	Width	Thickness
Dimensions	**526 mm**	**489 mm**	**16 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**-**	**-**	**-**	**-**


3 Drawers - Drawer 1 back



	Length	Width	Thickness
Dimensions	**477 mm**	**199 mm**	**16 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

3 Drawers - Drawer 2 front




	Length	Width	Thickness
Dimensions	**596 mm**	**236 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Handle	Ø5 thru	face A	2	(234, 118); (362, 118)


3 Drawers - Drawer 2 bottom



	Length	Width	Thickness
Dimensions	**526 mm**	**489 mm**	**16 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**-**	**-**	**-**	**-**


3 Drawers - Drawer 2 back



	Length	Width	Thickness
Dimensions	**477 mm**	**199 mm**	**16 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

3 Drawers - Drawer 3 front




	Length	Width	Thickness
Dimensions	**596 mm**	**236 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Handle	Ø5 thru	face A	2	(234, 118); (362, 118)


3 Drawers - Drawer 3 bottom



	Length	Width	Thickness
Dimensions	**526 mm**	**489 mm**	**16 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**-**	**-**	**-**	**-**


3 Drawers - Drawer 3 back



	Length	Width	Thickness
Dimensions	**477 mm**	**199 mm**	**16 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

3 Drawers - Left




	Length	Width	Thickness
Dimensions	**720 mm**	**559 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 12 mm	face A	6	(9, 50); (9, 509); (711, 12); (711, 48); (711, 511); (711, 547)
Drawer slide	Ø4 × 12 mm	face A	12	(35, 138); (35, 266); (35, 394); (35, 522); (275, 138); (275, 266); (275, 394); (275, 522); (515, 138); (515, 266); (515, 394); (515, 522)

3 Drawers - Right




	Length	Width	Thickness
Dimensions	**720 mm**	**559 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 12 mm	face A	6	(9, 50); (9, 509); (711, 12); (711, 48); (711, 511); (711, 547)
Drawer slide	Ø4 × 12 mm	face A	12	(35, 37); (35, 165); (35, 293); (35, 421); (275, 37); (275, 165); (275, 293); (275, 421); (515, 37); (515, 165); (515, 293); (515, 421)

3 Drawers - Bottom




	Length	Width	Thickness
Dimensions	**564 mm**	**559 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 20 mm	left edge	2	(0, 50); (0, 509)
Dowel	Ø8 × 20 mm	right edge	2	(564, 50); (564, 509)


3 Drawers - Back



	Length	Width	Thickness
Dimensions	**720 mm**	**600 mm**	**3 mm**
Material: Default white			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**-**	**-**	**-**	**-**

3 Drawers - Cross top front




	Length	Width	Thickness
Dimensions	**564 mm**	**60 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 20 mm	left edge	2	(0, 12); (0, 48)
Dowel	Ø8 × 20 mm	right edge	2	(564, 12); (564, 48)

3 Drawers - Cross top back




	Length	Width	Thickness
Dimensions	**564 mm**	**60 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 20 mm	left edge	2	(0, 12); (0, 48)
Dowel	Ø8 × 20 mm	right edge	2	(564, 12); (564, 48)

4 Drawers - Drawer 1 front




	Length	Width	Thickness
Dimensions	**596 mm**	**176 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Handle	Ø5 thru	face A	2	(234, 88); (362, 88)


4 Drawers - Drawer 1 bottom



	Length	Width	Thickness
Dimensions	**526 mm**	**489 mm**	**16 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**-**	**-**	**-**	**-**


4 Drawers - Drawer 1 back



	Length	Width	Thickness
Dimensions	**477 mm**	**116 mm**	**16 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

4 Drawers - Drawer 2 front




	Length	Width	Thickness
Dimensions	**596 mm**	**176 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Handle	Ø5 thru	face A	2	(234, 88); (362, 88)


4 Drawers - Drawer 2 bottom



	Length	Width	Thickness
Dimensions	**526 mm**	**489 mm**	**16 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**-**	**-**	**-**	**-**


4 Drawers - Drawer 2 back



	Length	Width	Thickness
Dimensions	**477 mm**	**116 mm**	**16 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

4 Drawers - Drawer 3 front




	Length	Width	Thickness
Dimensions	**596 mm**	**176 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Handle	Ø5 thru	face A	2	(234, 88); (362, 88)


4 Drawers - Drawer 3 bottom



	Length	Width	Thickness
Dimensions	**526 mm**	**489 mm**	**16 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**-**	**-**	**-**	**-**


4 Drawers - Drawer 3 back



	Length	Width	Thickness
Dimensions	**477 mm**	**116 mm**	**16 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

4 Drawers - Drawer 4 front




	Length	Width	Thickness
Dimensions	**596 mm**	**176 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Handle	Ø5 thru	face A	2	(234, 88); (362, 88)


4 Drawers - Drawer 4 bottom



	Length	Width	Thickness
Dimensions	**526 mm**	**489 mm**	**16 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**-**	**-**	**-**	**-**


4 Drawers - Drawer 4 back



	Length	Width	Thickness
Dimensions	**477 mm**	**116 mm**	**16 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

4 Drawers - Left




	Length	Width	Thickness
Dimensions	**720 mm**	**559 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 12 mm	face A	6	(9, 50); (9, 509); (711, 12); (711, 48); (711, 511); (711, 547)
Drawer slide	Ø4 × 12 mm	face A	16	(35, 138); (35, 266); (35, 394); (35, 522); (215, 138); (215, 266); (215, 394); (215, 522); (395, 138); (395, 266); (395, 394); (395, 522); (575, 138); (575, 266); (575, 394); (575, 522)

4 Drawers - Right




	Length	Width	Thickness
Dimensions	**720 mm**	**559 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 12 mm	face A	6	(9, 50); (9, 509); (711, 12); (711, 48); (711, 511); (711, 547)
Drawer slide	Ø4 × 12 mm	face A	16	(35, 37); (35, 165); (35, 293); (35, 421); (215, 37); (215, 165); (215, 293); (215, 421); (395, 37); (395, 165); (395, 293); (395, 421); (575, 37); (575, 165); (575, 293); (575, 421)

4 Drawers - Bottom




	Length	Width	Thickness
Dimensions	**564 mm**	**559 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 20 mm	left edge	2	(0, 50); (0, 509)
Dowel	Ø8 × 20 mm	right edge	2	(564, 50); (564, 509)


4 Drawers - Back



	Length	Width	Thickness
Dimensions	**720 mm**	**600 mm**	**3 mm**
Material: Default white			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**-**	**-**	**-**	**-**

4 Drawers - Cross top front




	Length	Width	Thickness
Dimensions	**564 mm**	**60 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 20 mm	left edge	2	(0, 12); (0, 48)
Dowel	Ø8 × 20 mm	right edge	2	(564, 12); (564, 48)

4 Drawers - Cross top back




	Length	Width	Thickness
Dimensions	**564 mm**	**60 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 20 mm	left edge	2	(0, 12); (0, 48)
Dowel	Ø8 × 20 mm	right edge	2	(564, 12); (564, 48)

Double door - Front left




	Length	Width	Thickness
Dimensions	**716 mm**	**396 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: 2 hinges on longer side — Blum Clip top 110, cup distance 21.5 mm			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Hinge cup	Ø35 × 13 mm	face A	2	(96, 21); (620, 21)
Hinge cup screw	Ø8 × 11.5 mm	face A	4	(74, 31); (119, 31); (598, 31); (643, 31)
Handle	Ø5 thru	face A	2	(50, 356); (178, 356)

Double door - Front right




	Length	Width	Thickness
Dimensions	**716 mm**	**396 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: 2 hinges on longer side — Blum Clip top 110, cup distance 21.5 mm			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Hinge cup	Ø35 × 13 mm	face A	2	(96, 374); (620, 374)
Hinge cup screw	Ø8 × 11.5 mm	face A	4	(74, 365); (119, 365); (598, 365); (643, 365)
Handle	Ø5 thru	face A	2	(50, 40); (178, 40)

Double door - Left




	Length	Width	Thickness
Dimensions	**720 mm**	**329 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 12 mm	face A	4	(9, 50); (9, 279); (711, 50); (711, 279)
Hinge mounting plate	Ø5 × 13 mm	face A	4	(82, 292); (114, 292); (606, 292); (638, 292)
Shelf support pin	Ø5 × 12 mm	face A	28	(134, 37); (134, 292); (166, 37); (166, 292); (198, 37); (198, 292); (230, 37); (230, 292); (262, 37); (262, 292); (294, 37); (294, 292); (326, 37); (326, 292); (358, 37); (358, 292); (390, 37); (390, 292); (422, 37); (422, 292); (454, 37); (454, 292); (486, 37); (486, 292); (518, 37); (518, 292); (550, 37); (550, 292)

Double door - Right




	Length	Width	Thickness
Dimensions	**720 mm**	**329 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 12 mm	face A	4	(9, 50); (9, 279); (711, 50); (711, 279)
Hinge mounting plate	Ø5 × 13 mm	face A	4	(82, 37); (114, 37); (606, 37); (638, 37)
Shelf support pin	Ø5 × 12 mm	face A	28	(134, 37); (134, 292); (166, 37); (166, 292); (198, 37); (198, 292); (230, 37); (230, 292); (262, 37); (262, 292); (294, 37); (294, 292); (326, 37); (326, 292); (358, 37); (358, 292); (390, 37); (390, 292); (422, 37); (422, 292); (454, 37); (454, 292); (486, 37); (486, 292); (518, 37); (518, 292); (550, 37); (550, 292)

Double door - Top




	Length	Width	Thickness
Dimensions	**764 mm**	**329 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 20 mm	left edge	2	(0, 50); (0, 279)
Dowel	Ø8 × 20 mm	right edge	2	(764, 50); (764, 279)

Double door - Bottom




	Length	Width	Thickness
Dimensions	**764 mm**	**329 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 20 mm	left edge	2	(0, 50); (0, 279)
Dowel	Ø8 × 20 mm	right edge	2	(764, 50); (764, 279)


Double door - Back



	Length	Width	Thickness
Dimensions	**800 mm**	**720 mm**	**3 mm**
Material: Default white			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**-**	**-**	**-**	**-**


Double door - Shelf horizontal



	Length	Width	Thickness
Dimensions	**762 mm**	**319 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**


Double door - Shelf horizontal



	Length	Width	Thickness
Dimensions	**762 mm**	**319 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Single door - Front left




	Length	Width	Thickness
Dimensions	**716 mm**	**596 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: 2 hinges on longer side — Blum Clip top 110, cup distance 21.5 mm			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Hinge cup	Ø35 × 13 mm	face A	2	(96, 21); (620, 21)
Hinge cup screw	Ø8 × 11.5 mm	face A	4	(73, 31); (119, 31); (598, 31); (643, 31)
Handle	Ø5 thru	face A	2	(50, 556); (178, 556)

Single door - Left




	Length	Width	Thickness
Dimensions	**720 mm**	**329 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 12 mm	face A	4	(9, 50); (9, 279); (711, 50); (711, 279)
Hinge mounting plate	Ø5 × 13 mm	face A	4	(82, 292); (114, 292); (606, 292); (638, 292)
Shelf support pin	Ø5 × 12 mm	face A	28	(134, 37); (134, 292); (166, 37); (166, 292); (198, 37); (198, 292); (230, 37); (230, 292); (262, 37); (262, 292); (294, 37); (294, 292); (326, 37); (326, 292); (358, 37); (358, 292); (390, 37); (390, 292); (422, 37); (422, 292); (454, 37); (454, 292); (486, 37); (486, 292); (518, 37); (518, 292); (550, 37); (550, 292)

Single door - Right




	Length	Width	Thickness
Dimensions	**720 mm**	**329 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 12 mm	face A	4	(9, 50); (9, 279); (711, 50); (711, 279)
Shelf support pin	Ø5 × 12 mm	face A	28	(134, 37); (134, 292); (166, 37); (166, 292); (198, 37); (198, 292); (230, 37); (230, 292); (262, 37); (262, 292); (294, 37); (294, 292); (326, 37); (326, 292); (358, 37); (358, 292); (390, 37); (390, 292); (422, 37); (422, 292); (454, 37); (454, 292); (486, 37); (486, 292); (518, 37); (518, 292); (550, 37); (550, 292)

Single door - Top




	Length	Width	Thickness
Dimensions	**564 mm**	**329 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 20 mm	left edge	2	(0, 50); (0, 279)
Dowel	Ø8 × 20 mm	right edge	2	(564, 50); (564, 279)

Single door - Bottom




	Length	Width	Thickness
Dimensions	**564 mm**	**329 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 20 mm	left edge	2	(0, 50); (0, 279)
Dowel	Ø8 × 20 mm	right edge	2	(564, 50); (564, 279)


Single door - Back



	Length	Width	Thickness
Dimensions	**720 mm**	**600 mm**	**3 mm**
Material: Default white			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**-**	**-**	**-**	**-**


Single door - Shelf horizontal



	Length	Width	Thickness
Dimensions	**562 mm**	**319 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**


Single door - Shelf horizontal



	Length	Width	Thickness
Dimensions	**562 mm**	**319 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Single door - 2 - Front left




	Length	Width	Thickness
Dimensions	**716 mm**	**596 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: 2 hinges on longer side — Blum Clip top 110, cup distance 21.5 mm			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Hinge cup	Ø35 × 13 mm	face A	2	(96, 21); (620, 21)
Hinge cup screw	Ø8 × 11.5 mm	face A	4	(73, 31); (119, 31); (598, 31); (643, 31)
Handle	Ø5 thru	face A	2	(50, 556); (178, 556)

Single door - 2 - Left




	Length	Width	Thickness
Dimensions	**720 mm**	**329 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 12 mm	face A	4	(9, 50); (9, 279); (711, 50); (711, 279)
Hinge mounting plate	Ø5 × 13 mm	face A	4	(82, 292); (114, 292); (606, 292); (638, 292)
Shelf support pin	Ø5 × 12 mm	face A	28	(134, 37); (134, 292); (166, 37); (166, 292); (198, 37); (198, 292); (230, 37); (230, 292); (262, 37); (262, 292); (294, 37); (294, 292); (326, 37); (326, 292); (358, 37); (358, 292); (390, 37); (390, 292); (422, 37); (422, 292); (454, 37); (454, 292); (486, 37); (486, 292); (518, 37); (518, 292); (550, 37); (550, 292)

Single door - 2 - Right




	Length	Width	Thickness
Dimensions	**720 mm**	**329 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 12 mm	face A	4	(9, 50); (9, 279); (711, 50); (711, 279)
Shelf support pin	Ø5 × 12 mm	face A	28	(134, 37); (134, 292); (166, 37); (166, 292); (198, 37); (198, 292); (230, 37); (230, 292); (262, 37); (262, 292); (294, 37); (294, 292); (326, 37); (326, 292); (358, 37); (358, 292); (390, 37); (390, 292); (422, 37); (422, 292); (454, 37); (454, 292); (486, 37); (486, 292); (518, 37); (518, 292); (550, 37); (550, 292)

Single door - 2 - Top




	Length	Width	Thickness
Dimensions	**564 mm**	**329 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 20 mm	left edge	2	(0, 50); (0, 279)
Dowel	Ø8 × 20 mm	right edge	2	(564, 50); (564, 279)

Single door - 2 - Bottom




	Length	Width	Thickness
Dimensions	**564 mm**	**329 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 20 mm	left edge	2	(0, 50); (0, 279)
Dowel	Ø8 × 20 mm	right edge	2	(564, 50); (564, 279)


Single door - 2 - Back



	Length	Width	Thickness
Dimensions	**720 mm**	**600 mm**	**3 mm**
Material: Default white			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**-**	**-**	**-**	**-**


Single door - 2 - Shelf horizontal



	Length	Width	Thickness
Dimensions	**562 mm**	**319 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**


Single door - 2 - Shelf horizontal



	Length	Width	Thickness
Dimensions	**562 mm**	**319 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Single top door short - Front top




	Length	Width	Thickness
Dimensions	**596 mm**	**396 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Handle	Ø5 thru	face A	2	(234, 50); (362, 50)

Single top door short - Left




	Length	Width	Thickness
Dimensions	**400 mm**	**329 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 12 mm	face A	4	(9, 50); (9, 279); (391, 50); (391, 279)
Shelf support pin	Ø5 × 12 mm	face A	14	(91, 37); (91, 292); (123, 37); (123, 292); (155, 37); (155, 292); (187, 37); (187, 292); (219, 37); (219, 292); (251, 37); (251, 292); (283, 37); (283, 292)

Single top door short - Right




	Length	Width	Thickness
Dimensions	**400 mm**	**329 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 12 mm	face A	4	(9, 50); (9, 279); (391, 50); (391, 279)
Shelf support pin	Ø5 × 12 mm	face A	14	(91, 37); (91, 292); (123, 37); (123, 292); (155, 37); (155, 292); (187, 37); (187, 292); (219, 37); (219, 292); (251, 37); (251, 292); (283, 37); (283, 292)

Single top door short - Top




	Length	Width	Thickness
Dimensions	**564 mm**	**329 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 20 mm	left edge	2	(0, 50); (0, 279)
Dowel	Ø8 × 20 mm	right edge	2	(564, 50); (564, 279)

Single top door short - Bottom




	Length	Width	Thickness
Dimensions	**564 mm**	**329 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 20 mm	left edge	2	(0, 50); (0, 279)
Dowel	Ø8 × 20 mm	right edge	2	(564, 50); (564, 279)


Single top door short - Back



	Length	Width	Thickness
Dimensions	**600 mm**	**400 mm**	**3 mm**
Material: Default white			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**-**	**-**	**-**	**-**


Single top door short - Shelf horizontal



	Length	Width	Thickness
Dimensions	**562 mm**	**319 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Fridge (2) - Front top




	Length	Width	Thickness
Dimensions	**596 mm**	**230 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Handle	Ø5 thru	face A	2	(234, 50); (362, 50)

Fridge (3) - Front left




	Length	Width	Thickness
Dimensions	**754 mm**	**596 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: 2 hinges on longer side — Blum Clip top 110, cup distance 21.5 mm			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Hinge cup	Ø35 × 13 mm	face A	2	(96, 21); (658, 21)
Hinge cup screw	Ø8 × 11.5 mm	face A	4	(74, 31); (119, 31); (636, 31); (681, 31)
Handle	Ø5 thru	face A	2	(576, 556); (704, 556)

Fridge - Front left




	Length	Width	Thickness
Dimensions	**1054 mm**	**596 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: 2 hinges on longer side — Blum Clip top 110, cup distance 21.5 mm			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Hinge cup	Ø35 × 13 mm	face A	2	(96, 21); (958, 21)
Hinge cup screw	Ø8 × 11.5 mm	face A	4	(73, 31); (118, 31); (936, 31); (981, 31)
Handle	Ø5 thru	face A	2	(50, 556); (178, 556)

Fridge - Left




	Length	Width	Thickness
Dimensions	**2050 mm**	**559 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 12 mm	face A	4	(9, 50); (9, 509); (2041, 50); (2041, 509)
Hinge mounting plate	Ø5 × 13 mm	face A	4	(840, 522); (872, 522); (1702, 522); (1734, 522)
Shelf support pin	Ø5 × 12 mm	face A	12	(1698, 37); (1730, 37); (1762, 37); (1762, 522); (1794, 37); (1794, 522); (1826, 37); (1826, 522); (1858, 37); (1858, 522); (1890, 37); (1890, 522)

Fridge - Right




	Length	Width	Thickness
Dimensions	**2050 mm**	**559 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 12 mm	face A	4	(9, 50); (9, 509); (2041, 50); (2041, 509)
Shelf support pin	Ø5 × 12 mm	face A	14	(1698, 37); (1698, 522); (1730, 37); (1730, 522); (1762, 37); (1762, 522); (1794, 37); (1794, 522); (1826, 37); (1826, 522); (1858, 37); (1858, 522); (1890, 37); (1890, 522)

Fridge - Top




	Length	Width	Thickness
Dimensions	**564 mm**	**559 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 20 mm	left edge	2	(0, 50); (0, 509)
Dowel	Ø8 × 20 mm	right edge	2	(564, 50); (564, 509)

Fridge - Bottom




	Length	Width	Thickness
Dimensions	**564 mm**	**559 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Dowel	Ø8 × 20 mm	left edge	2	(0, 50); (0, 509)
Dowel	Ø8 × 20 mm	right edge	2	(564, 50); (564, 509)


Fridge - Back



	Length	Width	Thickness
Dimensions	**2050 mm**	**600 mm**	**3 mm**
Material: Default white			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**-**	**-**	**-**	**-**


Fridge - Shelf horizontal



	Length	Width	Thickness
Dimensions	**562 mm**	**549 mm**	**18 mm**
Material: W1000 ST9 Premium White			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**0.4**	**0.4**	**0.4**	**0.4**


Filler



	Length	Width	Thickness
Dimensions	**716 mm**	**50 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Worktop




	Length	Width	Thickness
Dimensions	**3232 mm**	**600 mm**	**38 mm**
Material: H1180 ST37 Natural Halifax Oak			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Worktop joint	Ø35 × 20 mm	face A	3	(117, 25); (346, 254); (575, 483)

Worktop 2




	Length	Width	Thickness
Dimensions	**1800 mm**	**600 mm**	**38 mm**
Material: H1180 ST37 Natural Halifax Oak			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Drilling legend	Ø × depth	Face	Qty	Positions X/Y
Worktop joint	Ø35 × 20 mm	face A	3	(1225, 483); (1454, 254); (1683, 25)


Kickboard



	Length	Width	Thickness
Dimensions	**2692 mm**	**100 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**


Kickboard 2



	Length	Width	Thickness
Dimensions	**1842 mm**	**100 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**


End panel



	Length	Width	Thickness
Dimensions	**400 mm**	**350 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**


Cornice



	Length	Width	Thickness
Dimensions	**2618 mm**	**370 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Cornice 2



	Length	Width	Thickness
Dimensions	**600 mm**	**600 mm**	**18 mm**
Material: U702 ST9 Cashmere Grey			
Grain direction: Longer			
Hinges: -			

	Longer 1	Shorter 1	Longer 2	Shorter 2
Edging tape	**2.0**	**2.0**	**2.0**	**2.0**

Hardware list


Cabinet	Item	Detail	Quantity
Led Strip	LED strip	796 mm	1
Led Strip.001	LED strip	596 mm	1
Led Strip.002	LED strip	596 mm	1
Led Strip.003	LED strip	596 mm	1
Worktop	Worktop	H1180 ST37 Natural Halifax Oak 38 mm, 3232 × 600 mm	1
	Worktop connector	150 mm	3
Worktop 2	Worktop	H1180 ST37 Natural Halifax Oak 38 mm, 1800 × 600 mm	1
Corner element	Hinge	Blum Clip top 110	4
	Euro screw	6.3×13	8
	Cabinet leg	Rounded	4
	Chipboard screw	4×16	16
	Kickboard clip		2
	Handle	Bar 128	2
	Handle screw	M4×25	4
Sink base 800	Hinge	Blum Clip top 110	4
	Euro screw	6.3×13	8
	Dowel	Ø8×30	12
	Cabinet leg	Rounded	4
	Chipboard screw	4×16	16
	Kickboard clip		2
	Handle	Bar 128	2
	Handle screw	M4×25	4
3 Drawers	Dowel	Ø8×30	12
	Drawer slide set	Blum TANDEMBOX antaro D 550	3
	Chipboard screw	4×16	24
	Cabinet leg	Rounded	4
	Chipboard screw	4×16	16
	Kickboard clip		2
	Chipboard screw	3.5×16	18
	Handle	Bar 128	3
	Handle screw	M4×25	6

Cabinet	Item	Detail	Quantity
4 Drawers	Dowel	Ø8×30	12
	Drawer slide set	Blum TANDEMBOX antaro K 550	4
	Chipboard screw	4×16	32
	Cabinet leg	Rounded	4
	Chipboard screw	4×16	16
	Kickboard clip		2
	Chipboard screw	3.5×16	18
	Handle	Bar 128	4
	Handle screw	M4×25	8
Double door	Hinge	Blum Clip top 110	4
	Euro screw	6.3×13	8
	Dowel	Ø8×30	8
	Shelf support pin	Ø5	8
	Chipboard screw	3.5×16	21
	Handle	Bar 128	2
	Handle screw	M4×25	4
Single door	Hinge	Blum Clip top 110	2
	Euro screw	6.3×13	4
	Dowel	Ø8×30	8
	Shelf support pin	Ø5	8
	Chipboard screw	3.5×16	18
	Handle	Bar 128	1
	Handle screw	M4×25	2
Single door - 2	Hinge	Blum Clip top 110	2
	Euro screw	6.3×13	4
	Dowel	Ø8×30	8
	Shelf support pin	Ø5	8
	Chipboard screw	3.5×16	18
	Handle	Bar 128	1
	Handle screw	M4×25	2
Single top door short	Hinge	Blum Clip top 110	2
	Euro screw	6.3×13	4
	Dowel	Ø8×30	8
	Shelf support pin	Ø5	4
	Chipboard screw	3.5×16	14
	Handle	Bar 128	1

Cabinet	Item	Detail	Quantity
	Handle screw	M4×25	2
Fridge (2)	Hinge	Blum Clip top 110	2
	Euro screw	6.3×13	4
	Handle	Bar 128	1
	Handle screw	M4×25	2
Fridge (3)	Hinge	Blum Clip top 110	2
	Euro screw	6.3×13	4
	Handle	Bar 128	1
	Handle screw	M4×25	2
Fridge	Hinge	Blum Clip top 110	2
	Euro screw	6.3×13	4
	Dowel	Ø8×30	8
	Shelf support pin	Ø5	4
	Cabinet leg	Rounded	4
	Chipboard screw	4×16	16
	Kickboard clip		2
	Chipboard screw	3.5×16	36
	Handle	Bar 128	1
	Handle screw	M4×25	2
TOTAL	**Cabinet leg**	**Rounded**	**20**
	Chipboard screw	**3.5×16**	**143**
	Chipboard screw	**4×16**	**136**
	Dowel	**Ø8×30**	**76**
	Drawer slide set	**Blum TANDEMBOX antaro D 550**	**3**
	Drawer slide set	**Blum TANDEMBOX antaro K 550**	**4**
	Euro screw	**6.3×13**	**48**
	Handle	**Bar 128**	**19**
	Handle screw	**M4×25**	**38**
	Hinge	**Blum Clip top 110**	**24**
	Kickboard clip		**10**
	LED strip	**596 mm**	**3**
	LED strip	**796 mm**	**1**
	Shelf support pin	**Ø5**	**32**
	Worktop	**H1180 ST37 Natural Halifax Oak 38 mm, 1800 × 600 mm**	**1**

Cabinet	Item	Detail	Quantity
	Worktop	**H1180 ST37 Natural Halifax Oak 38 mm, 3232 × 600 mm**	**1**
	Worktop connector	**150 mm**	**3**

Cutting diagram: Default white 3 mm — 1/1




2800 x 2070 mm

Yield: 65.1 %

Parts: 7 — cutting list rows: 58, 91, 31, 49, 66, 74, 82

Usable offcuts: 527x720; 1451x600; 2780x117


Cutting diagram: U702 ST9 Cashmere Grey 18 mm — 1/3



2780 x 906 mm (offcut) Yield: 84.1 %

Parts: 10 — cutting list rows: 100, 86, 85, 19, 22, 25, 84, 10, 11, 93
Usable offcuts: 359x600; 378x236

Cutting diagram: U702 ST9 Cashmere Grey 18 mm — 2/3




2800 x 2070 mm

Yield: 79.5 %

Parts: 14 — cutting list rows: 61, 69, 8, 9, 12, 13, 52, 53, 77, 99, 98, 34, 37, 96
Usable offcuts: 212x556

Cutting diagram: U702 ST9 Cashmere Grey 18 mm — 3/3




2800 x 2070 mm

Yield: 6.8 %

Parts: 3 — cutting list rows: 40, 43, 97

Usable offcuts: 1579x176; 2780x1765


Cutting diagram: W1000 ST9 Premium White 16 mm — 1/2



2780 x 944 mm (offcut) Yield: 68.3 %

Parts: 12 — cutting list rows: 20, 23, 26, 35, 38, 21, 24, 27, 36, 39, 42, 45
Usable offcuts: 373x199; 1817x116; 2780x127


Cutting diagram: W1000 ST9 Premium White 16 mm — 2/2



2800 x 2070 mm Yield: 8.9 %

Parts: 2 — cutting list rows: 41, 44
Usable offcuts: 1719x489; 2780x1557

Cutting diagram: W1000 ST9 Premium White 18 mm — 1/4



2800 x 2070 mm

Yield: 83.6 %

Parts: 12 — cutting list rows: 5, 6, 4, 2, 78, 79, 17, 18, 32, 33, 50, 51

Cutting diagram: W1000 ST9 Premium White 18 mm — 2/4




2800 x 2070 mm

Yield: 76.5 %

Parts: 10 — cutting list rows: 7, 1, 16, 14, 15, 28, 30, 56, 57, 54
Usable offcuts: 519x329

Cutting diagram: W1000 ST9 Premium White 18 mm — 3/4




2800 x 2070 mm

Yield: 92.2 %

Parts: 12 — cutting list rows: 87, 88, 29, 46, 47, 48, 89, 90, 55, 62, 63, 64
Usable offcuts: 350x559

Cutting diagram: W1000 ST9 Premium White 18 mm — 4/4



2800 x 2070 mm

Yield: 60.1 %

Parts: 16 — cutting list rows: 92, 3, 70, 71, 65, 72, 73, 80, 81, 59, 60, 67, 68, 75, 76, 83

Usable offcuts: 506x329; 514x319; 2780x506